

भारत सरकार
जल शक्ति मंत्रालय
जल संसाधन, नदी विकास एवं गंगा संरक्षण विभाग
महा प्रबंधक का कार्यालय
फरक्का बराज परियोजना
पो. - फरक्का बैराज, जिला - मुर्शिदाबाद,
पश्चिम बंगाल, पिन - 742212
फोन - (03485) 253644
फैक्स (03485) 253608 / 253293



GOVERNMENT OF INDIA
MINISTRY OF JAL SHAKTI
DEPARTMENT OF WATER RESOURCES,
RIVER DEVELOPMENT & GANGA REJUVENATION
OFFICE OF THE GENERAL MANAGER
FARAKKA BARRAGE PROJECT
P.O. - FARAKKA BARRAGE
DIST. - MURSHIDABAD,
WEST BENGAL, PIN - 742212
TEL: (03485) 253644
FAX: (03485) 253608 / 253293

No. A-12027/1/2018- Estbt(FBP)/ 2588-2591

Dated 10/10/2019

(To be published in the Gazette of India, Part-1, Section 2)

Government of India

(Bharat Sarkar)

Farakka Barrage Project Under

Department of Ministry of Water Resources, RD & GR

NOTIFICATION

- Ref: i) Department of Empowerment of Persons with Disabilities (Divyangjan)'s letter No. 34-16/2018-DD.III dated 12.12.2018
ii) MoWR, RD & GR letter's No. F-11011/6/2019 dated 24.05.2019

With reference to the letters as mentioned above, it is stated that as per decision of Internal committee constituted to identify the posts suitable to be filled up from new categories of disabilities mentioned in Rights of Persons with Disabilities Act (RPwD Act) 2016, the following posts have been identified suitable for persons with Disabilities (Divyangjan) in Farakka Barrage Project, a subordinate office under MoWR, RD & GR:

Sl. No	Name of Post	Group	Physical Requirement	Identified Suitable for	Remarks
1.	Post Graduate Teacher	Group 'B' (Gazetted)	S.ST.W.BN.R W.SE.H.C	OA. OAL.OL. BL.B.LV	The work is performed mostly indoors. The work place is well lighted. Incumbents need to be considered with suitable aids and appliances. The teaching in subject like Art, Painting manual craft, Mathematics, etc. requires good visual acuity and colour vision.
2.	Trained Graduate	Group 'B' (Non-	S.RW.W.ST. BN.MF	OA.OL.B.LV .HH	The work is performed inside in well lighted room. Bilateral hand


	Teacher	Gazetted)			activities should be adequate. Teaching and instruction for some subjects require good visual activity.
3.	Primary Teacher	Group 'B' (Non-Gazetted)	S.ST.W.L.SE. RW.H.C.	OA.OL. OAL.BL.B.L V	The work is mostly performed inside in well lighted rooms. The worker either works alone teaches class / group of students. Mobility and bilateral hand activities should be adequate. Some of he posts may need vision and colour identification. The incumbent should be considered with aids and appliances.
4.	Draftsman Gr. II	Group 'C'	S,ST,W,BN,P P,L,KC,MF,S E,RW,H	OL.HH	The work is performed inside as well as outside. The incumbent should be considered with aids and appliances.
5.	Stenographer Gr. II	Group 'C'	S.ST.W.RW. SE.H.C	OA.OL.OA BL. Autism, Intellectual Disability, specific learning disability and mental illness.	Mobility and hand activities should be adequate. The incumbent of VH category should be considered with appropriate software and other devices support.
6.	Librarian	Group 'C'	S.ST.W.BN.S E.C	OL.OA.LV. HH.	The work is mostly performed inside. Work place is well lighted. It does not involve any hazards activity. The VH category considered with appropriate software and better appliances support. The OH category incumbents need to be considered with mobility aids and appliances.
7.	Laboratory Assistant	Group 'C'	S.ST.W.BN.M F.SE.RW.H.C	OL.BL.HH	The work is performed inside as well as outside. Requires fine eye hands coordination while performing task. The incumbent should be considered with aids and appliances wherever necessary.
8.	LDC	Group 'C'	S.ST.W.MF.S E.RW.C.	OA.OL.BL.O AL.B.LV.HH . Autism, Intellectual Disability, specific learning disability and mental illness.	The work is performed inside as well as outside. The worker usually works alone. Mobility and bilateral hand activities of the person should be adequate. Should have functional communication skills. The incumbent should be considered with aids and appliances.
9.	Multi Tasking Staff	Group 'C'	S.ST.BN,W.S E,H.RW,C	OA,OL,OAL, BL,B,LV,H, C. Autism,	Appropriate computer software and aids and appliances to be used as per needs. Mobility and bilateral

				Intellectual Disability, specific learning disability and mental illness.	hand activities should be adequate. Should have functional communication skills with aids and devices. The incumbent should be able to accomplish assigned task efficiently with aids and appliances
10.	Store Keeper.Gr. II	Group C	S.ST.SE.RW. H.C	OA.OL.HH. Autism, Intellectual Disability, specific learning disability and mental illness.	Work is performed mostly inside. Worker usually works alone. Bilateral hand activities of the person should be adequate. Should have functional communication skills with aids and devices. The incumbent should be considered with aids an appliances.

Note (i) S-Sitting, ST-Standing, W-Walking, BN-Bending, L-Lifting, PP-Pulling and Pushing, SE- Seeing, C-Communicating, MF- manipulating with finger, H-hearing, RW- reading and writing, OA- one arm, OL-One leg, OAL-one arm and one leg, BL- both legs, BA – both arms.
(ii) The posts have not been made suitable for deaf & blind cases.

This issues with the approval of GM, FBP.

Yours faithfully,


(Uday Kumar Mondal)
Section Officer (EB)
Farakka Barrage Project

The Manager,
Government of India Press,
(Bharat Sarkar Press) FARIDABAD

Copy forwarded for information to:

1. The Under Secretary (E-III) DoWR, RD & GR, Ministry of Jal Shakti, Shram Shakti Bhawan, Rafi Marg, New Delhi-110001
2. The Under Secretary (Co-ord) DoWR, RD & GR, Ministry of Jal Shakti, Shram Shakti Bhawan, Rafi Marg, New Delhi-110001
3. The Director, Department of Empowerment of Persons with Disabilities(Divyangjan), Ministry of Social Justice & Empowerment, Shastri Bhawan, C-Wing, New Delhi-110011.
4. Section Officer, Establishment Branch,G.M's Office ,FBP with the request to upload the notification in the website of Farakka Barrage Project.